


ORWAK 9020

Create your own mini recycling station with the Orwak 9020! This multiple-chamber solution provides sorting and compaction of different types of materials in one unit! The chambers allow for a lot of material and the system can easily be extended by adding additional chambers.



MORE PRODUCTIVE USE OF TIME

Less time spent on waste handling, more time devoted to your core activities.

VOLUME REDUCTION

More compaction = less waste volume to transport for recycling or disposal. Fewer transports required results in lower transportation costs and reduced CO₂ emissions.

MORE SPACE

Our baler rapidly minimizes the space the waste takes up, keeping aisles and passageways free and tidy.



ORWAK 9020

Multiple-chamber solution

This is a top-loading, multi-chamber solution that forms a mini recycling point. By using one chamber for each type of material, it is easy to sort and compact materials at source.

The press force can be regulated individually for each chamber, according to the material.

Every chamber has a built-in patented automatic bale ejection system. Personal safety is our priority.



ORWAK 9020 IS OPTIMIZED FOR:

PAPER

- + Cardboard
- + Shredded
- + Paper sacks

PLASTIC FOIL

- + Shrink film
- + Plastic bags

METAL CANS

- + Food cans
- + Paint cans

PLASTIC CONTAINERS

- + Pet bottles

OTHER METALS

- + Steel straps

HIGH-CAPACITY SYSTEM

The Orwak 9020 is powerful machine with large chambers and generous loading apertures. It provides effective volume reduction of large amounts of recyclables.

EFFICIENCY

Whilst the baler compacts the material in one chamber, the other is open and ready to be fed with more material!

EXTENDABLE SYSTEM

It is easy to add additional chambers to extend your sorting and compaction system, and increase its capacity further. When your business expands and your needs change, let your waste handling system grow at the same pace!

BALE INDICATOR

A bale indicator alerts you when the machine has reached its capacity.


DIMENSIONS AND SPECIFICATIONS

Dimensions					
A	B	C	D	E	F*
2470 mm	2480 mm	968 (1135') mm	2175 mm	1380 mm	1900 mm

*Transport Height, must be ordered. ¹ Including strap holders

Energy consumption	
STANDBY MODE	MAXIMUM OPERATION ONE HOUR
2.7 W / H	800 W / H

WEIGHT (MACHINE) TOTAL: 1580 KG
CHAMBER ONLY: 1100 KG
PRESS UNIT ONLY: 480 KG



Technical specifications							
LOADING APERTURE	CYCLE TIME	PRESS FORCE	BALE SIZE	BALE WEIGHT	NOISE LEVEL	PROTECTION CLASS	OPERATING POWER
Width: 1100 mm Height: 700 mm	35 secs	20 ton, 200 kN	Width: 1100 mm Depth: 700 mm Height: 800 mm	Cardboard: Up to 200 kg Plastic: Up to 300 kg	< 72 db (A)	IP 55	3-phase 3x400 V, 50 Hz



TOMRA Compaction AB

Box 58, SE-576 22 Sävsjö, Sweden

Tel: +46 382-157 00

Fax: +46 382-106 07

E-mail: info.compaction@tomra.com

www.tomracompaction.com

Manufacturers Repr. Middle East

KALMEC Export AB

Polhemsgatan 1
SE-392 39 Kalmar
SWEDEN

Tel. off. +46 480 859 00
E-mail hq@kalmec.com
www.kalmec.com

We reserve the right to make changes to specifications without prior notice.
Bale/bag/bin weights are dependent upon material type.